

PRINTER RUSH (PTO ASSISTANCE)


Application : 09/418, 91	6 Examiner : 7	T. Vo	GAU: <u>2</u>	2/12
Application: 09/418,916 Examiner: T.T.Vo GAU: 2112 From: 5. Winslow Location: IDC FMF FDC Date: 3-17-06				
Tracking #: EPM 9/418,916 Week Date: 10-10-05				
DOC CODE	DOC DATE	MISCELLAN	IEOUS	
□ 1449		Continuing Da	ta	w.
□IDS	·	Foreign Priorit	y	
CLM		Document Leg	ibility	
☐ IIFW		Fees	<u> </u> 	
☐ SRFW	7 00 11	Other	!	
⊠DRW	7-23-01			
ОАТН				
312				
☐ SPEC				
[RUSH] MESSAGE: ATT: Chief Brafts person				
F165 6 12-15, 20, 22, 238 31, 394, 41-42				
4/ 4/ 5/E, 33, 604 All have date siamps				
Through illustrations.				
Mease advise Thanks				
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
[XRUSH] RESPONSE:				
DRAWING CORRECTED				
			FRIEDRA A	
NOTE: This form will be included as part of the official USPTO record, with the Response				
document coded as XRUSH.				

REV 10/04







eggeregelisseren genesalten aben er bestelle er bestel



и <u>Ц</u>










FIG. 20











FIG. 31



,






FIG. 39A








FIG. 48





FIG. 49







FIG. 54A








FIG. 54C



Controlling the Data Rate in a 2-PAM / 4-PAM System

FIG. 55



Š.